

## United States Patent and Trademark Office

ENITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/737,338	12/16/2003	Patrick Henry Corcoran	FA 1084 US NA	6146
23906	7590 03/16/2005		EXAMINER	
E I DU PONT DE NEMOURS AND COMPANY			BISSETT, MELANIE D	
	TENT RECORDS CENTER ILL PLAZA 25/1128		ART UNIT	PAPER NUMBER
4417 LANCASTER PIKE			1711	
WILMINGTON, DE 19805			DATE MADE CD- 02/16/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		· · · · · · · · · · · · · · · · · · ·
	Application No.	Applicant(s)
	10/737,338	CORCORAN ET AL.
Office Action Summary	Examiner	Art Unit
	Melanie D. Bissett	1711
The MAILING DATE of this communication a Period for Reply	ppears on the cover sheet v	vith the correspondence address
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a re  - If NO period for reply is specified above, the maximum statutory perio  - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	1.136(a). In no event, however, may a seply within the statutory minimum of the dwill apply and will expire SIX (6) MC ute, cause the application to become A	a reply be timely filed irty (30) days will be considered timely. INTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on		
	is action is non-final.	
3)☐ Since this application is in condition for allow	ance except for formal ma	tters, prosecution as to the merits is
closed in accordance with the practice under	Ex parte Quayle, 1935 C.	D. 11, 453 O.G. 213.
Disposition of Claims		
4) Claim(s) 1-25 is/are pending in the application	on.	
4a) Of the above claim(s) is/are withdr		
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1-14 and 16-25</u> is/are rejected.		
7)⊠ Claim(s) <u>15</u> is/are objected to.		
8) Claim(s) are subject to restriction and	or election requirement.	
Application Papers		
9) The specification is objected to by the Examir	ner.	:
10)☐ The drawing(s) filed on is/are: a)☐ ac	ccepted or b) objected to	by the Examiner.
Applicant may not request that any objection to th	e drawing(s) be held in abeya	ince. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the corre	ection is required if the drawing	g(s) is objected to. See 37 CFR 1.121(d).
11) The oath or declaration is objected to by the B	Examiner. Note the attache	ed Office Action or form PTO-152.
Priority under 35 U.S.C. § 119		
<ul> <li>12) Acknowledgment is made of a claim for foreign</li> <li>a) All b) Some * c) None of:</li> </ul>	gn priority under 35 U.S.C.	§ 119(a)-(d) or (f).
1. Certified copies of the priority document	nts have been received.	
2. Certified copies of the priority document	nts have been received in a	Application No
<ol><li>Copies of the certified copies of the pri</li></ol>	iority documents have beer	n received in this National Stage
application from the International Bure	au (PCT Rule 17.2(a)).	
* See the attached detailed Office action for a lis	st of the certified copies no	t received.
August 1997		1
Attachment(s)		

<ol> <li>Notice of References Cited (PT)</li> </ol>	O-892
---	-------

4) [	Interview Summary (PTO-4	13)
	Paper No(s)/Mail Date.	

5) Notice of Informal Patent Application (PTO-152)

6) Other: \_\_

 <sup>2)</sup> Notice of Draftsperson's Patent Drawing Review (PTO-948)
 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
 Paper No(s)/Mail Date 9/04.

## Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

- 2. Claims 1-4, 11-12, 16-17, 19-20, and 24-25 are rejected under 35 U.S.C. 102(b) as being anticipated by Primeaux, II et al. (US 6,013,755).
- 3. Primeaux '755 discloses coatings comprising an aspartic ester, polyoxyalkyleneamines, and isocyanates (abstract). The aspartic ester compounds fit the applicant's formula, where aliphatic groups including diaminodicyclohexyl methane are combined with maleic or fumaric acid esters including dialkyl maleates (col. 2 line 38-col. 3 line 15). Isocyanates comprise aliphatic or aromatic isocyanates including hexamethylene diisocyanate, trimerized hexamethylene diisocyanate, and isophorone

Application/Control Number: 10/737,338 Page 3

Art Unit: 1711

diisocyanate (col. 4 lines 15-40). The reference teaches coating the two-part compositions after mixing to automotive substrates (col. 9 lines 36-58; col. 10 lines 3-12).

- 4. Additives, preferably a mixture of three components, are included with the coating compositions (col. 7 lines 49-66). The three components include sterically hindered amines (col. 8 lines 3-12), UV absorbers (col. 8 lines 13-20), and disubstituted phenol antioxidants (col. 8 lines 21-29). A most preferred additive composition contains 40% by weight UV stabilizer, 40% by weight UV absorber, and 20% by weight antioxidant (col. 7 line 58-col. 8 line 2). Since the additive is used in an amount of up to 5% by weight of the polyetheramine (col. 8 lines 43-49) and because the examples show the use of about 26% by weight of the polyetheramine components, it is the examiner's position that one skilled in the art would envision the use of about 0.4% by weight of the UV stabilizer and UV absorber compounds and about 0.2% by weight of the antioxidant compound.
- 5. Claims 1-7, 9-12, 16-17, 19-20, and 24-25 are rejected under 35 U.S.C. 102(e) as being anticipated by Primeaux, II et al. (US 6,399,736). This reference can be found on the applicant's Form PTO-1449.
- 6. Primeaux '736 discloses coatings comprising an aspartic ester, polyoxyalkyleneamines, and isocyanates (abstract). The aspartic ester compounds fit the applicant's formula, where aliphatic groups including diaminodicyclohexyl methane are combined with maleic or fumaric acid esters including dialkyl maleates (col. 2 line

Application/Control Number: 10/737,338

Art Unit: 1711

64-col. 3 line 41). Isocyanates comprise aliphatic or aromatic isocyanates including hexamethylene diisocyanate, trimerized hexamethylene diisocyanate, and isophorone diisocyanate (col. 3 lines 63; col. 8 lines 6-16). The reference teaches coating the two-part compositions after mixing to automotive substrates (col. 13 lines 22-43; lines 55-64).

Page 4

- 7. Additives, preferably a mixture of three components, are included with the coating compositions (col. 11 lines 35-55). The three components include sterically hindered amines (col. 11 lines 56-65), UV absorbers (col. 11 line 66-col. 12 line 6), and disubstituted phenol antioxidants (col. 12 lines 7-14). A most preferred additive composition contains 40% by weight UV stabilizer, 40% by weight UV absorber, and 20% by weight antioxidant. Since the additive is used in an amount of up to 5% by weight of the polyetheramine (col. 12 lines 28-34) and because the examples show the use of about 26% by weight of the polyetheramine components, it is the examiner's position that one skilled in the art would envision the use of about 0.4% by weight of the UV stabilizer and UV absorber compounds and about 0.2% by weight of the antioxidant compound.
- 8. Regarding the acrylic component, Primeaux '736 teaches the addition of various amounts of hydroxy-functional acrylic oligomers and polymers having molecular weights (M<sub>n</sub>) of 800-50,000 (col. 5 line 36-col. 6 line 4). Copolymers include styrene, alkyl (meth)acrylate, (meth)acrylonitrile, and hydroxy-functional (meth)acrylate monomers. The compounds have hydroxyl group contents of 0.1-12% by weight.

Application/Control Number: 10/737,338 Page 5

Art Unit: 1711

## Claim Rejections - 35 USC § 103

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. Claims 5-7 and 9-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Primeaux, II et al. '755 in view of Primeaux, II et al. '736.
- 11. Primeaux '755 applies as above, failing to mention the use of acrylic components. Primeaux '736 teaches the addition of various amounts of hydroxy-functional acrylic oligomers and polymers having molecular weights (M<sub>n</sub>) of 800-50,000 (col. 5 line 36-col. 6 line 4). Copolymers include styrene, alkyl (meth)acrylate, (meth)acrylonitrile, and hydroxy-functional (meth)acrylate monomers. The compounds have hydroxyl group contents of 0.1-12% by weight and are shown to enhance the elasticity of the coatings (col. 6 lines 42-51). Thus, it would have been prima facie obvious to include the acrylic components of the '736 invention into the coatings of the '755 invention to enhance the elasticity of the coatings.
- 12. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Primeaux, II et al. '736 in view of Huynh-Ba.
- 13. Primeaux '736 applies as above, teaching coatings with polyoxyalkyleneamines, isocyanates, and optional polyacrylic polyols but failing to teach the specified polyacrylic component. Huynh-Ba teaches coatings for automotive finishing comprising polyacrylic

Application/Control Number: 10/737,338

Art Unit: 1711

polyols that react with polyisocyanates to form a quick-cure coating having a dust-free, water-resistant, and sandable surface (abstract; [0015, 0074]). Preferred acrylic polymers for the invention are copolymers of styrene, isobornyl methacrylate, ethylhexyl methacrylate, and hydroxyethyl methacrylate [0024-0025]. It is the examiner's position that it would have been prima facie obvious to include the preferred polyacrylic polyols of Huynh-Ba's invention to improve the water resistance, cure time, and post-processing of the coatings.

Page 6

- 14. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over either one of Primeaux, II et al. '755 or '736 in view of Zweiner et al. Zweiner et al. (US 5,126,170) can be found on the applicant's Form PTO-1449.
- 15. The Primeaux references apply as above, failing to mention the use of polyester polyols in the coatings. Zweiner teaches similar coating compositions comprising polyisocyanates and polyaspartates (abstract), where additional isocyanate-reactive components may be included (col. 5 lines 2-20). The examples show small amounts of the use of polyacrylate/polyester polyol blends and of polyester polyols in the polyaspartate component of the coatings. When examples 14, 18, and 20 are compared with examples 3-5, it appears that the components with polyester polyols have shorter sand dry times. All compositions are suitable for forming coatings for automotive applications. It is the examiner's position that it would have been prima facie obvious to include any amount of polyester polyol in the coatings of the Primeaux inventions to form suitable coatings with shorter sand dry times.

Application/Control Number: 10/737,338

Art Unit: 1711

- 16. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over either one of Primeaux, II et al. '755 or '736 in view of Schmitt et al.
- 17. The Primeaux references apply as above, teaching the use of isocyanate prepolymers but failing to mention the use of the specified urethane oligomer. Schmitt teaches aqueous dispersions of polyureas, where urethane oligomers made from dimethylolpropionic acid, a monohydric polyether alcohol, and a combination of diisocyanates are reacted with polyaspartates (examples). The reference teaches that the inclusion of carboxylic acid groups and terminal polyether groups serve to improve the stability of the polyureas in water (col. 7 lines 16-31; col. 8 lines 12-39; col. 8 line 66-col. 9 line 23). Thus, it is the examiner's position that it would have been prima facie obvious to use the urethane oligomers of Schmitt's invention in the coatings of Primeaux to improve the stability of the coatings in water.
- 18. Claims 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over either of Primeaux, II et al. '755 or '736 in view of Cai et al. Cai et al. (US 5,591,807) can be found on the applicant's Form PTO-1449.
- 19. The Primeaux references apply as above, teaching the use of the coatings as paints or coatings for automotive applications but failing to specify coating structures including primers, basecoats, and clearcoats. Cai teaches coating compositions comprising polyisocyanates and polaspartic esters (abstract), where the coatings are applied as pigmented basecoats and/or clearcoats on automotive substrates and cured (col. 6 lines 24-64). Multiple layers of either coating can be used, providing a pigmented

Application/Control Number: 10/737,338 Page 8

Art Unit: 1711

primer layer and a pigmented basecoat layer. It is the examiner's position that it would have been prima facie obvious to form the claimed coating articles and perform the claimed process by conventional methods to form suitable automotive paint articles having the improved properties of the Primeaux coatings.

- 20. Claim 18 is rejected under 35 U.S.C. 103(a) as being unpatentable over either of Primeaux, II et al. '755 or '736 in view of Wolf.
- 21. The Primeaux references apply as above, teaching the use of antioxidants but failing to teach the use of hydroperoxide decomposing antioxidants. Wolf teaches that secondary antioxidants, which decompose hydroperoxide, are useful during processing for improved long-term stabilization under severe thermal conditions (section 2.2). Thus, it would have been prima facie obvious to include hydroperoxide decomposers in the coatings of Primeaux in any amount necessary to improve the long-term stabilization under severe thermal conditions, since the coatings are intended for weather-resistant coatings.

## Allowable Subject Matter

- 22. Claim 15 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 23. The following is a statement of reasons for the indication of allowable subject matter:

Art Unit: 1711

24. The closest prior art, Primeaux, II et al. (US 6,399,736), discloses coatings comprising an aspartic ester, polyoxyalkyleneamines, isocyanates, and light stabilizing additives. Although the reference indicates the use of polyisocyanate prepolymers, the reference does not teach the addition of the specified oligomer of claim 15. It is the examiner's position that the use of such an oligomer in the claimed coating composition

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie D. Bissett whose telephone number is (571) 272-1068. The examiner can normally be reached on M-F 8-4:30.

would provide a novel and unobvious step over the prior art.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on (571) 272-1078. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Melanie D. Bissett Patent Examiner Art Unit 1711

mdb